



PALM INTRANET

Day : Tuesday
Date: 9/14/2004

Time: 09:45:15

Content Information for 10/771841

Search Another: Application#

Search

or Patent#

Search

PCT / / or PG PUBS #

Search

Search

Attorney Docket #

Search

Bar Code #

Search

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity Data

Foreign Data

Date	Status	Code	Description
09/13/2004		P574	PARALEGAL TD ACCEPTED
08/26/2004		DIST	TERMINAL DISCLAIMER FILED
09/10/2004		FWDX	DATE FORWARDED TO EXAMINER
08/26/2004	71	A...	RESPONSE AFTER NON-FINAL ACTION
08/26/2004		WAMD	WORKFLOW INCOMING AMENDMENT IFW
08/23/2004	41	MCTNF	MAIL NON-FINAL REJECTION
08/20/2004	40	CTNF	NON-FINAL REJECTION
06/22/2004		TSSCOMP	IFW TSS PROCESSING BY TECH CENTER COMPLETE
06/22/2004	30	DOCK	CASE DOCKETED TO EXAMINER IN GAU
05/14/2004		RCAP	REFERENCE CAPTURE ON IDS
05/14/2004		M844	INFORMATION DISCLOSURE STATEMENT (IDS) FILED
05/14/2004		A.PE	PRELIMINARY AMENDMENT
06/18/2004		P003	RECORD PETITION DECISION OF GRANTED TO MAKE

05/14/2004		PET.	PETITION ENTERED
05/17/2004		EPRQ	PGPUBS EARLY PUBLICATION REQUEST
06/02/2004	20	WROIPE	APPLICATION RETURN FROM OIPE
06/02/2004	18	ROIPE	APPLICATION RETURN TO OIPE
06/02/2004	20	OIPE	APPLICATION DISPATCHED FROM OIPE
06/02/2004		COMP	APPLICATION IS NOW COMPLETE
05/14/2004		FLFEE	PAYMENT OF ADDITIONAL FILING FEE/PREEXAM
02/04/2004		CLAIM	CLAIM PRELIMINARY AMENDMENT
05/14/2004		OATHDECL	A STATEMENT BY ONE OR MORE INVENTORS SATISF USC 115, OATH OF THE APPLIC
05/05/2004		INCD	NOTICE MAILED--APPLICATION INCOMPLETE--FILING
03/15/2004		L194	CLEARED BY OIPE CSR
03/15/2004		CLSS	CASE CLASSIFIED BY L&R
02/12/2004		SCAN	IFW SCAN & PACR AUTO SECURITY REVIEW
02/04/2004	19	IEXX	INITIAL EXAM TEAM NN

[Appln Info](#)**[Contents](#)**[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	Hits	Search Text	DBs
1	BRS	122940	(decorat\$4 or illuminat\$5) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	2131	((decorat\$4 or illuminat\$5) and display) and ((frame or skeleton) with (wires or rods))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	1	((decorat\$4 or illuminat\$5) and display) and (((frame or skeleton) with (wires or rods)) with refract\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	127	((frame or skeleton) with (wires or rods)) with refract\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	28	((frame or skeleton) with (wires or rods)) with refract\$4) and (light or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	150555	((frame or skeleton) with (wires or rods))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1376	((frame or skeleton) with (wires or rods)) and decorat\$4 and light\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	86	((frame or skeleton) with (wires or rods)) and decorat\$4 and light\$3 and refract\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	348	(wires or rods) with (refract\$4 near (layer or coat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	6	((decorat\$4 or illuminat\$5) and display) and (wires or rods) with (refract\$4 near (layer or coat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	10	("4422719" "4471412" "4883338" "5027259" "5168540" "5692088" "5982969" "6091878" "6301418" "6366719").PN.	USPAT
12	BRS	0	6519401.URPN.	USPAT
13	BRS	0	6519401.URPN.	USPAT
14	BRS	19380	(transparent and refract\$4) with (layer or coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	3835	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	923	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	910	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	4	((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3) and decorat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	60	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3) and decorat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
20	BRS	910	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and (light or bulb or illuminat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	3659	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	8	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3) and 362/806,807,808.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	8	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (light or bulb or illuminat\$3) and 362/806,807,808.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	8	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/806,807,808.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/123,124,252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	3	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and 362/249,227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	156	((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	126	((transparent and refract\$4) with (layer or coat\$4)) with (rod\$3 or wir\$3) and (light or bulb or illuminat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	((transparent and refract\$4) with (layer or coat\$4)) with (opaque with (rod\$3 or wir\$3)) and (light or bulb or illuminat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	1	((transparent and refract\$4) with (layer or coat\$4)) with (opaque with (rod\$3 or wir\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	17	((transparent and refract\$4) with (layer or coat\$4)) with (metal\$4 with (rod\$3 or wir\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	1232	362/806.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	75	362/809.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	168	362/808.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	84	362/807.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	595	362/252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	0	(refract\$4 near (coat\$4 or layer)) and 362/252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
38	BRS	4	((refract\$4 or transparent) near (coat\$4 or layer)) and 362/252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	((refract\$4 or transparent) near (coat\$4 or layer)) and 362/124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	1	((refract\$4 or transparent) near (coat\$4 or layer)) and 362/123.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	0	((refract\$4) near (coat\$4 or layer)) and 362/123.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	0	((refract\$4) near (coat\$4 or layer)) and 362/124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	((refract\$4) near (coat\$4 or layer)) and 362/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	13	((refract\$4 or transparent) near (coat\$4 or layer)) and 362/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	20030185007.URPN.	USPAT
46	BRS	0	20030185007.URPN.	USPAT
47	BRS	3	("4177503" "4607317" "4812956").PN.	USPAT
48	BRS	5	6217194.URPN.	USPAT
49	BRS	2	((refract\$4 or transparent) near (coat\$4 or layer)) and 428/7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	((refract\$4 or transparent) near (coat\$4 or layer)) and 428/8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	121	362/252.ccls. and (coat\$4 or layer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	56	362/252.ccls. and (coat\$4 or layer) and (transparent or refract\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	IS&R	2	("6217194").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	86305	(refract\$4) with (layer or coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	333	((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with support)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	362	((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with (support or frame))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	5	((refract\$4) with (layer or coat\$4)) with ((lamp or light or bulb) with (support or frame)) and decorat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	10	("3087828" "3087829" "4264648" "4268541" "4344987" "4370270" "4373963" "4415650" "4705739" "4880472").PN.	USPAT
59	BRS	12	5026429.URPN.	USPAT
60	BRS	5588	(lamp or light or bulb) with string	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	((lamp or light or bulb) with string) and ((support or frame) with (refract\$4 adj (coat\$4 or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
62	BRS	0	((lamp or light or bulb) with string) and ((support or frame) same (refract\$4 adj (coat\$4 or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	417	((support or frame) same (refract\$4 adj (coat\$4 or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
64	BRS	252	((support or frame) with (refract\$4 adj (coat\$4 or layer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	24	((support or frame) with (refract\$4 adj (coat\$4 or layer))) and illuminat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	17	4000437.URPN.	USPAT
67	BRS	17	4000437.URPN.	USPAT
68	BRS	150627	((frame or skeleton) with (wires or rods))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	412	(((frame or skeleton) with (wires or rods))) and ((transparent or refract\$4) near (coat\$4 or layer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	292	(((frame or skeleton) with (wires or rods))) and ((transparent or refract\$4) near (coat\$4 or layer)) and (light or bulb ir illuminat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	7	((frame or skeleton) with (wires or rods)) with ((transparent or refract\$4) near (coat\$4 or layer)) and (light or bulb ir illuminat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	595	362/252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	1020	((frame or support) near (rod or wire)) with coat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1	((frame or support) near (rod or wire)) with (refract\$4 near coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	6	((frame or support) near (rod or wire)) with (transparent near coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	918	362/249.ccls. not 362/252.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	0	((frame or support) near (rod or wire)) with (transparent near coat\$4)) and (362/249.ccls. not 362/252.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	((frame or support) near (rod or wire)) with coat\$4) and (362/249.ccls. not 362/252.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	335	((frame or support) near (rod or wire)) with coat\$4) and (light or illuminat\$4 or bulb\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	173	362/252.ccls. and (refract\$4 or transparent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	141	362/252.ccls. and (refract\$4 or transparent) and (support or frame or wire or rod)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
82	BRS	126	362/252.ccls. and (refract\$4 or transparent) and (support or frame or wire or rod) and (decorat\$4 or illuminat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	IS&R	2	("5850927").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	IS&R	3	((("5850927") or ("6394282") or ("6478164")).PN.	USPAT
85	BRS	1019	211/181.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	74	211/181.1.ccls. and coat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	0	211/181.1.ccls. and ((transparent or refract\$4) near coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	0	211/1.51.ccls. and ((transparent or refract\$4) near coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	211/26.ccls. and ((transparent or refract\$4) near coat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	79	((transparent and refract\$4) with (layer or coat\$4)) and (rod\$3 or wir\$3) and (frame or skeleton) and decorat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	3874	362/121,122,123,124,227,249,252,253.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	2811592	(light or lamp or (light near bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	2376	362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	2334	((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	1346	((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))) and (rods or wires or (structural near elements))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	78	((light or lamp or (light near bulb))) and (362/121,122,123,124,227,249,252,253.ccls. and (frame or skeleton or sculpture or form\$7))) and (rods or wires or (structural near elements))) and refract\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	16	(refractive near layer) with fus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	374	fused near refract\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	0	fused near transparent near refract\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
100	BRS	0	(fused with transparent with refract\$4) and decorat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	29	fused with transparent with refract\$4 with layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	129	fused with transparent with refract\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	0	(refractive near thread\$4) with fus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	0	(refractive with thread\$4) with fus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	7	(refract\$4 with thread\$4) with fus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	BRS	661	(refract\$4 with fiber\$4) with fus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	BRS	11	((refract\$4 with fiber\$4) with fus\$3) and decorat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	BRS	2178	362/806,249252,227,124,123,807,808.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
109	BRS	688	428/7,8.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
110	BRS	1702	211/1.51,181.1,26.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
111	BRS	4484	362/806,249252,227,124,123,807,808.ccls. or 428/7,8.ccls. or 211/1.51,181.1,26.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
112	BRS	19	(362/806,249252,227,124,123,807,808.ccls. or 428/7,8.ccls. or 211/1.51,181.1,26.ccls.) and @pd > "20040812"	USPAT; US-PGPUB; EPO; JPO; DERWENT